

Publications

- Aalbers, T., Zonneveld, A., **Leij-Halfwerk, S.**, Oers, S. v., & Peeters, A. (2017). Eetverslaving als oorzaak voor obesitas. proof of principle voor een nieuwe methode om de cliënt-specifieke verslaving te karakteriseren. *Voeding & Visie*, 30(zomer), 10-15.
- Agteresch, H. J., **Leij-Halfwerk, S.**, Van Den Berg, J. W., Hordijk-Luijk, C. H., Wilson, J. H., & Dagnelie, P. C. (2000). Effects of ATP infusion on glucose turnover and gluconeogenesis in patients with advanced non-small-cell lung cancer. *Clinical Science (London, England : 1979)*, 98(6), 689-695.
- Boes, J., van Hal, M., **Leij, S.**, Janssen, M., Wanten, G., & Zweers, H. (2016). PT05.6: The optimal estimate for energy requirements in patients with mitochondrial disease. Paper presented at the ESPEN conference, 35 S32. doi:10.1016/S0261-5614(16)30313-2.
- Bordier, V., Zweers, H., **Leij, S.**, Maas, D., Knuijt, S., Wanten, G., & Janssen, M. (2017). MON-P209: Body composition, protein intake and physical function in adult patients with mitochondrial disease. Paper presented at the , 36 S255. doi:10.1016/S0261-5614(17)30879-8.
- Buringa, D., Gebben, J., & **Leij-Halfwerk, S.** (2018). SNAQrc in practice; a thin line between fill in and properly fill in. Paper presented at the ESPEN conference. *Clinical Nutrition*, 37(1) S51. doi:10.1016/j.clnu.2018.06.1225.
- Dagnelie, P. C. & **Leij-Halfwerk, S.** (2010). Magnetic resonance spectroscopy to study hepatic metabolism in diffuse liver diseases, diabetes and cancer. *World Journal of Gastroenterology : WJG*, 16(13), 1577-1586. DOI: 10.3748/wjg.v16.i13.1577.
- De Haan, L. H., **Halfwerk, S.**, Hovens, S. E., De Roos, B., Koeman, J. H., & Brouwer, A. (1996). Inhibition of intercellular communication and induction of ethoxyresorufin-O-deethylase activity by polychlorobiphenyls, -dibenzo-p-dioxins and -dibenzofurans in mouse hepalcl7 cells. *Environmental Toxicology and Pharmacology*, 1(1), 27-37. doi: 10.1016/1382-6689(95)00006-2.
- Haaf ten, D. C. M., Worp van der, M. P., Groenewoud, H. M. M., **Leij-Halfwerk, S.**, Nijhuis-van der Sanden, M. W. G., Verbeek, A. L. M., & Staal, J. B. (2014). Nutritional indicators for gastrointestinal symptoms in female runners: The 'Marikenloop study'. *BMJ Open*, 4(8), e005780. doi:10.1136/bmjopen-2014-005780.
- Jager, M., den Boeft, A., **Leij-Halfwerk, S.**, van der Sande, R., & van den Muijsenbergh, M. (2020). Cultural competency in dietetic diabetes care-A qualitative study of the dietician's perspective. *Health Expectations*, 23(3):540-548. doi:10.1111/hex.13019.
- Jager, M., den Boeft, A., Versteeg-Pieterse, A., **Leij-Halfwerk, S.**, Pelgrim, T., van der Sande, R., & van den Muijsenbergh, M. (2020). Observing cultural competence of healthcare professionals: A systematic review of observational assessment instruments. *Patient Education and Counseling*, 27;S0738-3991(20)30545-0. doi:10.1016/j.pec.2020.10.010.
- Leij-Halfwerk, S.**, Verwijs, M. H., Houdt, S. van, Borkent, J. W., Guaitoli, P. R., Pelgrim, T., Schueren de van der, M.A.E. (2019). Prevalence of protein-energy malnutrition risk in european older adults in community, residential and hospital settings, according to 22 malnutrition screening tools validated for use in adults ≥65 years: A systematic review and meta-analysis. *Maturitas*, 126, 80-89. doi:10.1016/j.maturitas.2019.05.006.
- Leij-Halfwerk, S.** (2015). Methodisch werken is een middel, geen doel. *Nederlands Tijdschrift Voor Voeding & Diëtetiek*, 70(T), 30-31.

- Leij-Halfwerk, S.** (2015). Nederlands nutritional assesment platform (NAP): Wat kunnen we verwachten? Paper presented at the 8e Nationale Voedingscongres, Papendal. Retrieved from <http://www.nationalevoedingscongres.nl/programma.html>;
<https://prezi.com/pvmhuaxbz35w/nutrition-assessment-platform/>
- Leij-Halfwerk, S.** (2018). Nederlands nutritional assesment platform: Stand van zaken. Paper presented at the 11e Nationale Voedingscongres, Veenendaal. Retrieved from [https://newslettercollector.com/newsletter/11e-nationale-voedingscongres-vrijdag-18-mei-2018\(4\)](https://newslettercollector.com/newsletter/11e-nationale-voedingscongres-vrijdag-18-mei-2018(4)) /
- Leij-Halfwerk, S.,** Agteresch, H. J., Sijens, P. E., & Dagnelie, P. C. (2002). Adenosine triphosphate infusion increases liver energy status in advanced lung cancer patients: An in vivo ³¹P magnetic resonance spectroscopy study. *Hepatology (Baltimore, Md.)*, 35(2), 421-424. doi:10.1053/jhep.2002.31318.
- Leij-Halfwerk, S.,** Dagnelie, P. C., Kappert, P., Oudkerk, M., & Sijens, P. E. (2000). Decreased energy and phosphorylation status in the liver of lung cancer patients with weight loss. *Journal of Hepatology*, 32(6), 887-892. doi: 10.1016/s0168-8278(00)80092-6.
- Leij-Halfwerk, S.,** Dagnelie, P. C., van Den Berg, J. W., Wattimena, J. D., Hordijk-Luijk, C. H., & Wilson, J. P. (2000). Weight loss and elevated gluconeogenesis from alanine in lung cancer patients. *The American Journal of Clinical Nutrition*, 71(2), 583-589. doi: 10.1093/ajcn/71.2.583.
- Leij-Halfwerk, S.,** Dagnelie, P. C., Van Den Berg, J. W., Wilson, J. H., & Sijens, P. E. (2000). Hepatic sugar phosphate levels reflect gluconeogenesis in lung cancer: Simultaneous turnover measurements and ³¹P magnetic resonance spectroscopy in vivo. *Clinical Science (London, England: 1979)*, 98(2), 167-174.
- Leij-Halfwerk, S.,** van den Berg, J. W., Sijens, P. E., Wilson, J. H., Oudkerk, M., & Dagnelie, P. C. (2000). Altered hepatic gluconeogenesis during L-alanine infusion in weight-losing lung cancer patients as observed by phosphorus magnetic resonance spectroscopy and turnover measurements. *Cancer Research*, 60(3), 618-623.
- Leij-Halfwerk S,** van Uden D, Jooren SJA, van den Brink G. Cultural competence of dutch physician assistants: an observational cohort study. *BMC Med Educ.* 2023 Mar 3;23(1):142. doi: 10.1186/s12909-023-04112-8. PMID: 36869323; PMCID: PMC9983151.
- Pieterse, A., Gerritsen, R., Schueren, M. d. v. d., & **Leij-Halfwerk, S.** (2015). International comparison of goals for the dietary treatment of overweight and obesity. [Abstract] *European Congress of Dietetics*.
- Plas, M., Schueren, M. d. v. d., **Leij-Halfwerk, S.,** & Naumann, E. (2015). Het prioriteren van behandeldoelen en bijbehorende meetmethoden en meetmomenten in de dieetbehandeling bij cardiovasculair risicomangement. consensus volgens de delphi-methodiek. *Nederlands Tijdschrift Voor Voeding & Diëtetiek*, 70(T), S1-S8.
- Power, L., de van der Schueren, M. A. E., **Leij-Halfwerk, S.,** Bauer, J., Clarke, M., Visser, M., MaNuEL Consortium. (2018). Development and application of a scoring system to rate malnutrition screening tools used in older adults in community and healthcare settings - A MaNuEL study. *Clinical Nutrition (Edinburgh, Scotland)*, doi:S0261-5614(18)31224-X [pii].

- Power, L. C., Schueren de van der, M. A. E., **Leij-Halfwerk, S.**, Bauer, J., Gibney, E. R., Clarke, M., Corish, C. (2017). SUN-P209: Creation of a scoring system to rate nutritional screening tools for use in older adults. Paper presented at the ESPEN conference, 36 S131. doi:10.1016/S0261-5614(17)30419-3.
- Power, L., Schueren, M.A.E. de van der, **Leij-Halfwerk, S.**, Bauer, J., Clarke, M., Visser, M., Corish, C. A. Development and application of a scoring system to rate malnutrition screening tools used in older adults in community and healthcare settings - A MaNuEL study. *Clinical Nutrition*, doi:10.1016/j.clnu.2018.07.022.
- Sijens, P. E., Dagnelie, P. C., **Halfwerk, S.**, van Dijk, P., Wicklow, K., & Oudkerk, M. (1998). Understanding the discrepancies between 31P MR spectroscopy assessed liver metabolite concentrations from different institutions. *Magnetic Resonance Imaging*, 16(2), 205-211.
- Van Kralingen, M. A., **Leij - Halfwerk, S.**, van der Linde, & Mensink, M. (2017). MON-P007: Evaluation of protein intake with total parenteral nutrition (TPN) in a clinical setting. *Clinical Nutrition*, 36, S181-S182. doi:10.1016/S0261-5614(17)31076-2.
- van Vollenhoven, R. F., Houbiers, J. G., Buttgereit, F., In 't Hout, J., Boers, M., **Leij, S.**, Miltenburg, A. M. (2010). The selective estrogen receptor alpha agonist org 37663 induces estrogenic effects but lacks antirheumatic activity: A phase IIa trial investigating efficacy and safety of org 37663 in postmenopausal female rheumatoid arthritis patients receiving stable background methotrexate or sulfasalazine. *Arthritis and Rheumatism*, 62(2), 351-358. doi:10.1002/art.27196.
- Verstappen, J., **Leij-Halfwerk, S.**, & Schueren, M.A.E. de van der. (2017). De effecten van dieetbehandeling. *Nederlands Tijdschrift Voor Voeding & Diëtetiek*, 72(3).
- Vissers, W., Jager, M., & **Leij-Halfwerk, S.** (2020). Formule voor de energiebehoefte van bodybuilders. *Nederlands Tijdschrift Voor Voeding & Diëtetiek*, 75(2), 22-24.
- Zweers, H., Bordier, V., Janssen, M., Wanten, G., & **Leij, S.** (2017). SUN-P195: Diagnostic accuracy of bia versus DXA in adult mitochondrial disease patients. *Clinical Nutrition*, 36, S126. doi:10.1016/S0261-5614(17)30433-8.
- Zweers, H., Hulst, J., Janssen, M., Wanten, G., & **Leij-Halfwerk, S.** (2018). Sarcopenia; physical functioning, body composition and protein intake in adult patients with mitochondrial disease compared with matched healthy controls - dynamo study. *Clinical Nutrition*, 37, S291-S292. doi:10.1016/j.clnu.2018.06.2023
- Zweers, H., Janssen, M. C. H., **Leij, S.**, & Wanten, G. (2018). Patients with mitochondrial disease have an inadequate nutritional intake. *JPEN. Journal of Parenteral and Enteral Nutrition*, 42(3), 581-586. doi:10.1177/0148607117699792.
- Zweers, H., **Leij-Halfwerk, S.**, Janssen, M., & Wanten, G. (2015). MON-PP154: Body composition of adults with mitochondrial disease. *Clinical Nutrition*, 34, S185. doi:10.1016/S0261-5614(15)30586-0.
- Zweers, H., Rutten, M., Rossum, M. V., **Leij, S.**, Wanten, G., & Janssen, M. (2017). SUN-P135: Individually tailored dietary treatment in patients with mitochondrial disorders: The dynamite study. Paper presented at the , 36 S104. doi:10.1016/S0261-5614(17)30492-2.
- Zweers, H. E. E., Vorst, L. A. v. d., Huisman, S., **Leij, S.**, Wanten, G., & Janssen, M. (2016). Sarcopenic obesity frequently occurs in adult patients with mitochondrial disease. Paper presented at the Society for the Study of Inborn Errors of Metabolism (SSIEM), Rome.
- Zweers, H. E. E., Bordier, V., in 't Hulst, J., Janssen, M. C. H., Wanten, G. J. A., & **Leij-Halfwerk, S.** (2020). Association of body composition, physical functioning, and

protein intake in adult patients with mitochondrial diseases. *Journal of Parenteral and Enteral Nutrition*, Jan;45(1):165-174. doi: 10.1002/jpen.1826.

Zweers, H., Smit, D., **Leij, S.**, Wanten, G., & Janssen, M. C. H. (2020). Individual dietary intervention in adult patients with mitochondrial disease due to the m.3243 A>G mutation. *Nutrition*, 69, 110544. doi: 10.1016/j.nut.2019.06.025.

Zweers-van Essen, H., Pakkert, A., & **Leij-Halfwerk, S.** (2016). Lichaamssamenstelling van volwassenen met een energiestofwisselingsziekte. *Nederlands Tijdschrift Voor Voeding & Diëtetiek*, 71(5), S1-s8.